



X800 Fast Acting Cleaner

Rapid cleaner for older systems







Approximately 87% of boiler call-outs are to systems without correct water treatment.

Source: major boiler manufacturer testing and research

Limescale and corrosion are often the primary causes of boiler and component failures.

In new high efficiency boilers, it's crucial that the system is cleaned and protected.

Why use X800 Fast Acting Cleaner?

The new X800 Fast Acting Cleaner is engineered to give a system older than 6 months a deep clean in the fastest time yet.

Corrosion not only prevents efficient heat transfer but also increases wear and tear on components, and can lead to boiler failure.

To restore efficiency to a system, clean with X800 Fast Acting Cleaner. The new formula provides a powerful clean, removing iron oxide and calcium based deposits from heat exchangers, radiators and pipe work.

- Cleans systems in 1 hour
- Ideal for use with powerflushing machines
- 1L bottle suitable to treat a typical domestic system

Cleaning a dirty central heating system could save you up to £142 each year.*

*Based on the cost of replacement heat using an electric heater.

Use Sentinel X800 Fast Acting Cleaner as part of The Sentinel System best practice approach to water treatment:



Clean with the appropriate cleaner

Protect with X100 Inhibitor

.

Maintain with X100 Quick Test

Not sure which product you need? Try our product selector tool at: www.sentinelprotects.com/uk/product-selector

Minimises time on site

Unrivalled chemical technology reduces circulation time to just 1 hour.

Targeted dissolution of corrosion debris

Restores system circulation, reducing future breakdowns.

Works in cold systems

Suits distressed systems where no heat is available.

Ideal for powerflushing

Excellent performance in combination with the Sentinel JetFlush Rapid®.



Easy to dose into a system

1. Powerflushing:

Follow the machine manufacturer's instructions.

2. Open systems:

Dose via feed & expansion cistern, via a by-pass feeder or use a dosing vessel.

3. Sealed systems:

If the system is empty, add to any convenient point before filling. If full, use a dosing vessel to inject via the filling loop or other access point.



For continued protection, dose the system with Sentinel X100 Inhibitor after cleaning to prevent the occurrence of limescale build-up and corrosion.

Powerflushing

Powerflushing is the process in which the entire interior surfaces of a heating system are cleaned using water at high velocity, but at low pressure so that there is no physical damage to the system. Any debris inside the system is dislodged and removed.

X800 Fast Acting Cleaner can be used in conjunction with the Sentinel JetFlush Rapid® to provide a faster and more thorough clean for problematic, dirty systems, quickly helping to restore optimum system efficiency.



Sentinel's lightweight and portable powerflushing unit, the JetFlush Rapid



Scan this code to learn how to powerflush a central heating system

The online Sentinel Academy offers expert knowledge in bite-size chunks to educate and support with best practice water treatment.

www.sentinelprotects.com/training

Quick guide to choosing a cleaner





Sentinel Performance Solutions Ltd

7650 Daresbury Park, Warrington, Cheshire, WA4 4BS, United Kingdom.

Tel: +44 (0) 1928 704 330 www.sentinelprotects.com



