



Vortex300

Compact filter for powerful magnetic filtration of system debris



Sentinel Eliminator Vortex®300 is the perfect compact filter solution to guard against circulating heating system debris.

Why use Eliminator Vortex300?

Fast installation

- Compact 300 ml unit designed to fit small spaces.
- In-line installation with 360° positionable T-piece enables installation in minutes on to a variety of pipework orientations.

Simple servicing

- Withdraw magnet and flush clean in seconds.
- Remove collar and withdraw magnet assembly to show collected debris and clean: no tools required.

Confidence

- 10 year total product guarantee.
- Dual seals are pressure tested on every single unit.
- Collects both magnetic and non-magnetic types of damaging debris.

Use Eliminator Vortex300 as part of The Sentinel System best practice approach to water treatment:







Protect X100 Inhibitor



Maintain X100 Quick Test




10 year guarantee

Our filters are engineered and tested to meet the same exacting standards we've demanded of our products since 1988

Premium performance

The Eliminator Vortex range combines powerful magnetic filtration and our unique Vortex Core to deliver effective retention of circulating system debris.


Sentinel Eliminator Vortex®300 retains more magnetite than other leading small filters.*



^{*}Based on comparative testing conducted by KIWA GASTEC at CRE 2017

Compact size

Eliminator Vortex300 is a truly compact filter without performance compromise. Compared to previous Eliminator filters, we've greatly reduced height, width and distance from pipework to ensure the smallest possible installation envelope.





Powerful magnet assembly

9000 Gauss field to filter damaging magnetite sludge.





Unique Vortex Core

Reduces water turbulence, aids debris retention and ensures that the filter will never block.


Discover our filters...

See the full range and find out more, visit www.sentinelprotects.com/uk/vortex



Minutes to install, seconds to clean

Save time on site with in-line installation and 360° positionable T-piece, which allows easy fitting onto many different orientations of pipework.



For servicing and cleaning, withdraw the magnet (1) and flush via the anti-tamper drain valve (2).



Alternatively, to show collected debris, unscrew the top of the filter and magnet assembly (3), then clean (4).





Sentinel Performance Solutions Ltd

7650 Daresbury Park, Warrington, Cheshire, WA4 4BS, United Kingdom

Tel: +44 (0) 1928 704 330

www.sentinelprotects.com





